



Certificate of Compliance

This certificate is issued for the following:

Centrifugal Fire Pumps (Axial Split-Case Type)

BSP 125-270
BSP 200-290

(see attached listing)

Prepared for:

Bristol Fire Engineering LLC
Al Qouz Industrial Area 3
PO Box 74582
Dubai, United Arab Emirates

Manufactured at:

Bristol Fire Engineering LLC
Al Qouz Industrial Area 3
PO Box 74582
Dubai, United Arab Emirates

FM Approvals Class: 1311 – “Centrifugal Fire Pumps, Split-Case Type, (Axial or Radial)” (December 2020)

Approval Identification: PR464371

Approval Granted: 25 July 2023

To verify the availability of the Approved product, please refer to www.approvalguide.com

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in dark ink, appearing to read 'D.B. Fuller', written over a horizontal line.

David B Fuller
VP - Manager of Fire Protection
FM Approvals
1151 Boston-Providence Turnpike
Norwood, MA 02062



Member of the FM Global Group





Certificate of Compliance

Product	Rated Capacity, (gal/min)	Rated Capacity, (dm ³ /min)	Rated Net Head at Rated Capacity, psi	Rated Net Head at Rated Capacity, kPa	Rated Speed, r/min	Suction Inlet, dia., in.	Discharge Outlet, dia., in.	Stage(s)
BSP 125-270	300	1135	116 - 157	800 - 1080	2950	6	6	1
BSP 125-270	400	1515	113 - 154	780 - 1060	2950	6	6	1
BSP 125-270	450	1705	112 - 152	770 - 1050	2950	6	6	1
BSP 125-270	500	1895	110 - 152	755 - 1045	2950	6	6	1
BSP 125-270	300	1135	120 - 162	825 - 1115	3000	6	6	1
BSP 125-270	400	1515	117 - 159	810 - 1100	3000	6	6	1
BSP 125-270	450	1705	116 - 158	800 - 1090	3000	6	6	1
BSP 125-270	500	1895	114 - 157	785 - 1080	3000	6	6	1
BSP 200-290	500	1895	162 - 229	1115 - 1580	3550	12	8	1
BSP 200-290	750	2840	159 - 229	1095 - 1580	3550	12	8	1
BSP 200-290	1000	3785	156 - 228	1075 - 1570	3550	12	8	1



Member of the FM Global Group



Certificate of Compliance

This certificate is issued for the following:

Centrifugal Fire Pumps (Axial Split-Case Type)

Models BSP 150-310 and BSP 200-290
(see ratings on page 2)

Prepared for:

Bristol Fire Engineering L.L.C.
Al Quoz Industrial Area 3
P.O. Box 74582
Dubai, United Arab Emirates

FM Approvals Class: 1311

Approval Identification: 3059490

Approval Granted: January 11, 2017

To verify the product continues to be Approved please refer to www.approvalguide.com.

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in dark ink, appearing to read 'D.B. Fuller', written over a horizontal line.

David B. Fuller
AVP, Manager of Fire Protection
FM Approvals
1151 Boston-Providence Turnpike
Norwood, MA 02062 USA



Member of the FM Global Group



Certificate of Compliance

Product	Rated Capacity, (gal/min)	Rated Capacity, (dm ³ /min)	Rated Net Head at Rated Capacity, psi	Rated Net Head at Rated Capacity, kPa	Rated Speed, r/min	Suction Inlet, dia., in.	Discharge Outlet, dia., in.	Stage(s)
BSP 150-310	400	1515	138-226	950-1560	2950	6	4	1
BSP 150-310	500	1875	137-225	945-1550	2950	6	4	1
BSP 150-310	750	2840	132-225	910-1550	2950	6	4	1
BSP 150-310	1000	3785	128-222	885-1530	2950	6	4	1
BSP 200-290	1000	3785	140-172	965-1185	2950	8	5	1
BSP 200-290	1250	4730	136-169	940-1165	2950	8	5	1
BSP 200-290	1500	5680	132-165	910-1140	2950	8	5	1



Member of the FM Global Group



Certificate of Compliance

This certificate is issued for the following:

**Centrifugal Fire Pumps
(Axial Split-Case Type)**
(see detailed listing attached)

Models BSP 6x4x10 HF, BSP 8x6x18 MF, BSP 10x8x21 HF and BSP 10x8x29 MF

Prepared for:

Bristol Fire Engineering LLC
Al Quoz, Industrial Area 3
P.O. Box 74582
Dubai, United Arab Emirates

FM Approvals Class: 1311 (January 2018)

Approval Identification: PR450821

Approval Granted: October 30, 2019

To verify the product continues to be Approved please refer to www.approvalguide.com.

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in dark ink, appearing to read 'D. B. Fuller', written over a horizontal line.

David B. Fuller
VP, Manager – Fire Protection
FM Approvals
1151 Boston-Providence Turnpike
Norwood, MA 02062 USA



Member of the FM Global Group



Certificate of Compliance

Centrifugal Fire Pumps, Horizontal Split-Case Type, Horizontal Mounted

Product	Listing Country	Rated Capacity, (gal/min)	Rated Capacity, (dm ³ /min)	Rated Net Head at Rated Capacity, psi	Rated Net Head at Rated Capacity, kPa	Rated Speed, r/min	Suction Inlet, dia., in.	Discharge Outlet, dia., in.	Stage(s)
BSP 8x6x18 MF	UAE	2000	7570	130-189	897-1303	2950	8	6	1
BSP 8x6x18 MF	UAE	1500	5680	140-212	968-1464	2950	8	6	1
BSP 8x6x18 MF	UAE	1250	4730	144-221	995-1524	2950	8	6	1
BSP 8x6x18 MF	UAE	1000	3785	148-230	1021-1584	2950	8	6	1
BSP 8x6x18 MF	UAE	2500	9465	129-159	891-1094	2100	8	6	1
BSP 8x6x18 MF	UAE	2000	7570	140-170	963-1172	2100	8	6	1
BSP 8x6x18 MF	UAE	1500	5680	149-177	1024-1220	2100	8	6	1
BSP 8x6x18 MF	UAE	1250	4730	154-181	1060-1246	2100	8	6	1
BSP 8x6x18 MF	UAE	1000	3785	159-184	1095-1271	2100	8	6	1
BSP 6x4x10 HF	UAE	1000	3785	122-168	839-1159	3500	6	4	1
BSP 6x4x10 HF	UAE	750	2840	132-177	914-1227	3500	6	4	1
BSP 6x4x10 HF	UAE	500	1895	140-183	968-1263	3500	6	4	1
BSP 6x4x10 HF	UAE	1000	3785	79-113	551-781	2950	6	4	1
BSP 6x4x10 HF	UAE	750	2840	90-122	623-845	2950	6	4	1
BSP 6x4x10 HF	UAE	500	1895	96-128	668-884	2950	6	4	1
BSP 10X8X29 MF	UAE	3000	11355	137-182	942-1256	1750	10	8	1
BSP 10X8X29 MF	UAE	2500	9465	149-193	1026-1332	1750	10	8	1
BSP 10X8X29 MF	UAE	2000	7570	157-202	1084-1396	1750	10	8	1
BSP 10X8X29 MF	UAE	1500	5680	165-211	1136-1454	1750	10	8	1
BSP 10X8X29 MF	UAE	1250	4730	166-213	1148-1465	1750	10	8	1
BSP 10X8X29 MF	UAE	1000	3785	173-222	1192-1527	1750	10	8	1
BSP 10X8X29 MF	UAE	3000	11355	135-183	932-1261	1450	10	8	1
BSP 10X8X29 MF	UAE	2500	9465	114-192	785-1325	1450	10	8	1
BSP 10X8X29 MF	UAE	2000	7570	123-207	849-1424	1450	10	8	1
BSP 10X8X21 HF	UAE	2000	7570	76-142	521-976	1500	10	8	1
BSP 10X8X21 HF	UAE	1500	5680	83-145	570-1001	1500	10	8	1
BSP 10X8X21 HF	UAE	1250	4730	84-146	581-1009	1500	10	8	1
BSP 10X8X21 HF	UAE	1000	3785	86-148	595-1018	1500	10	8	1
BSP 10X8X21 HF	UAE	2000	7570	108-197	747-1360	1750	10	8	1
BSP 10X8X21 HF	UAE	1500	5680	115-200	793-1380	1750	10	8	1
BSP 10X8X21 HF	UAE	1250	4730	118-202	810-1392	1750	10	8	1
BSP 10X8X21 HF	UAE	1000	3785	118-202	815-1393	1750	10	8	1



Member of the FM Global Group

QXJY.EX16089 - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

BRISTOL FIRE ENGINEERING L L C

AL QUOZ INDUSTRIAL AREA 3
PO BOX 74582
DUBAI, United Arab Emirates

EX16089

Fire pumps, single stage

Rated Capacity (gpm)	Size (in.)	Model Dsg	Rated Net Pressure Range (psi)	Approx Speed (rpm)	Max Working Pressure (psi)
300	5x3	BSP-125-270	117-159	2950	250
300	5x3	BSP-125-270	121-165	3000	250
400	5x3	BSP-125-270	115-157	2950	250
400	5x3	BSP-125-270	120-163	3000	250
450	5x3	BSP-125-270	114-155	2950	250
500	5x3	BSP-125-270	112-154	2950	250
500	5x3	BSP-125-270	117-160	3000	250
500	6x4	BSP-150-310	129-222	2950	260
500	6x4	BSP-150-310	139-230	3000	260
500	8x5	BSP-200-290	165-228	3550	280
500	6x4	BSP-150-370	238-293	2950	365
500	6x4	BSP-150-370	235-264	2800	365
500	6x4	BSP-150-370	202-226	2600	365
500	6x4	BSP-6x4x10HF	91-126	2950	217
500	6x4	BSP-6x4x10HF	130-178	3500	217
500	6x4	BSP-6x4x10HF	100-130	3000	217
750	6x4	BSP-6x4x10HF	85-121	2950	217
750	6x4	BSP-6x4x10HF	123-174	3500	217

750	6x4	BSP-6x4x10HF	93-125	3000	217
750	6x4	BSP-150-370	233-285	2950	365
750	6x4	BSP-150-370	228-256	2800	365
750	6x4	BSP-150-370	195-219	2600	365
750	8x5	BSP-200-365	222-271	3000	330
750	8x5	BSP-200-365	214-262	2950	330
750	8x5	BSP-200-365	193-236	2800	330
750	8x5	BSP-200-365	165-203	2600	330
750	6x4	BSP-150-310	125-223	2950	260
750	6x4	BSP-150-310	133-231	3000	260
750	8x5	BSP-200-290	165-228	3550	280
1000	8x6	BSP-8x6x18MF	152-238	3000	290
1000	8x6	BSP-8X6x18MF	147-230	2950	290
1000	8x6	BSP-8X6x18MF	153-182	2100	290
1000	6x4	BSP-150-370	224-277	2950	365
1000	6x4	BSP-150-370	219-248	2800	365
1000	6x4	BSP-150-370	186-212	2600	365
1000	8x5	BSP-200-365	218-268	3000	330
1000	8x5	BSP-200-365	210-259	2950	330
1000	8x5	BSP-200-365	188-233	2800	330
1000	8x5	BSP-200-365	161-199	2600	330
1000	8x5	BSP-200-290	155-222	3550	280
1000	8x5	BSP-200-290	161-201	3000	280
1000	6x4	BSP-150-310	117-218	2950	260
1000	6x4	BSP-150-310	123-226	3000	260
1000	8x5	BSP-200-290	131-194	2950	250
1000	6x4	BSP-6x4x10HF	76-112	2950	217
1000	6x4	BSP-6x4x10HF	114-166	3500	217
1000	6x4	BSP-6x4x10HF	84-117	3000	217
1000	10x8	BSP-10x8x21HF	87-149	1500	239
1000	10x8	BSP-10x8x21HF	113-203	1750	239

1000	10x8	BSP-10x8x29MF	174-222	1750	260
1250	8x6	BSP-8x6x18MF	149-231	3000	290
1250	8x6	BSP-8X6x18MF	144-222	2950	290
1250	8x6	BSP-8X6x18MF	150-179	2100	290
1250	10x8	BSP-10x8x21HF	86-149	1500	239
1250	10x8	BSP-10x8x21HF	111-202	1750	239
1250	10x8	BSP-10x8x29MF	171-218	1750	260
1250	8x5	BSP-200-290	148-217	3550	280
1250	8x5	BSP-200-290	153-199	3000	280
1250	8x5	BSP-200-290	125-191	2950	250
1250	8x5	BSP-200-365	213-263	3000	330
1250	8x5	BSP-200-365	205-254	2950	330
1250	8x5	BSP-200-365	183-227	2800	330
1250	8x5	BSP-200-365	156-194	2600	330
1500	8x6	BSP-8x6x18MF	145-221	3000	290
1500	8x6	BSP-8X6x18MF	140-212	2950	290
1500	8x6	BSP-8X6x18MF	147-176	2100	290
1500	8x5	BSP-200-290	144-193	3000	280
1500	8x5	BSP-200-290	118-184	2950	250
1500	8x5	BSP-200-365	206-257	3000	330
1500	8x5	BSP-200-365	198-248	2950	330
1500	8x5	BSP-200-365	177-221	2800	330
1500	8x5	BSP-200-365	150-188	2600	330
1500	10x8	BSP-10x8x21HF	84-148	1500	239
1500	10x8	BSP-10x8x21HF	110-202	1750	239
1500	10x8	BSP-10x8x29MF	167-214	1750	260
2000	8x6	BSP-8x6x18MF	135-197	3000	290
2000	8x6	BSP-8X6x18MF	129-188	2950	290
2000	8x6	BSP-8X6x18MF	140-168	2100	290
2000	10x8	BSP-10x8x21HF	78-144	1500	239
2000	10x8	BSP-10x8x21HF	105-200	1750	239

2000	10x8	BSP-10x8x29MF	122-209	1450	260
2000	10x8	BSP-10x8x29MF	160-207	1750	260
2000	10x8	BSP 10x8x26MF	138-199	1490	260
2000	10x8	BSP 10x8x26MF	125-198	1760	260
2500	10x8	BSP 10x8x26MF	130-187	1490	260
2500	10x8	BSP 10x8x26MF	118-189	1760	260
2500	8x6	BSP-8X6x18MF	128-158	2100	290
2500	10x8	BSP-10x8x29MF	114-198	1450	260
2500	10x8	BSP-10x8x29MF	151-196	1750	260
3000	10x8	BSP-10x8x29MF	136-188	1450	260
3000	10x8	BSP-10x8x29MF	140-185	1750	260
3000	10x8	BSP 10x8x26MF	120-176	1490	260
3000	10x8	BSP 10x8x26MF	110-181	1760	260

Trademark and/or Tradename: **BRISTOL**

Last Updated on 2022-03-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"